

# Velours

**MEMORABLE: 25-oz cotton velour**, the standard fabric, for many years, for front curtains and valances. Deeppile absorbs light without reflectance and is what audiences expect to see in a the atrical curtain.

MARVEL: 20-oz cotton velour, slightly lighter weight velour with the appearance of Memorable at less cost.

PRINCESS: 16-ozcotton velour, often used for side and back curtains, or, when lined, for window curtains. Opaque enough to be used for budget-priced front curtains.

MAGIC:32-ozcottonvelour, our heaviest weight cotton velour with a thick deep pile and superior sound absorbing ability.

PRESTIGE:anewgenerationofvelour, using inherently flameresistant 26-oz polyester velour in any of the velour colors, or custom dyed. Designed for front curtains and valances.

CHARISMA: 23-oz. IFR polyester velour with a low-lustre finish and thick pile and rich-looking depth of color

PLATEAU: 13-oz lighter weight IFR polyester velour in all the velour colors, with all the velour look. Woven to be opaque. For side and back curtains or budget-priced front curtains.



### SPECIFICATIONS

- NFPA 701 Small Scale
- NFPA 701 Large Scale SS
- City of New Work Fire Department -Certificate #4835
- State of California Registration #C-14101 and GA 0358.01
- Boston Fire Department
- ASTM-E84-95 Class A
- Selection 1237.1 State of California ADM. Code Title 19

LUXOUT Stage Curtains

Speciall





ENCORE: brushed IFR polyester velour in standard colors as shown. Nocustom colors. 22-ozisopaque and 15-ozisnear-opaque. Encore velourstores well when folded, and any creases or wrinkles hang out quickly.





Hint: How to evaluate velour colors: always hold the velour sample upright, with the nap running down. Velour can change shades with varying light angles, so to get the true color, hold it up the way it will be hanging as a curtain, not laying flat on a table.







Corona





Ice Blue

Pewter









Cypress

Iris

#### ENCORE: 15-oz 100% Polyester - with durable FR treatment.



#### Specifications

- NFPA 701
- UFAC Class 1
- CA Administrative Code Title 19 Paragraph 1237.1 CAFM Reg. #F-52101
- Lightfastness: AATCC 16E
- (40 to 80 hours)

# **Back and Side Curtains and Borders**



LUXOUT Stage Curtains



## **Vinyl Backed IFR Fabrics**



### **Muslin Scenery Drops**

SCENERY MUSLIN: Heavy-weight FR	Specifications			
Also available Non-FR for paint curta	Grey Natural	Sky Blue	Black	• 100% Cotton • Flame Retardant • NFPA 701-96
SHARKSTOOTH - SCRIM: in White or E	Specifications			
or in Blue Grey or natural in 29'6 wid	Grey Natural	Sky Blue	Black	<ul> <li>95% Cotton 5% Polyester</li> <li>Flame Retardant</li> <li>NFPA 701-96</li> </ul>
	'H - LENO: (filled Sha rey in 20'0" or 31'0" v			

### Letters

Letters					
Black Dogwood Pink	BloodOrange Flesh	Brown G Cardinal	BurntOrange Grey	Cardinal Kelly	H
Myrtle Myrtle Tan Crimson Cream Fringe	Navy Texas Orange Maroon Maroon Scarlet	NY Orange Turquise Royal Purple	Off White Off White Vegas Gold LightGold Lemon Gold	Old Gold White ColumbiaBlue	
Black Curtain	Gold Linings	Gray	White	Light Gold	Yellow
DENIM:9-ozCottonFR,ForLiningcottonFRcurtains.				Specifications	
			Denim Beige RANGER: Heavierw For Lining cotton F Ranger Beige FR Blackout Lining blackout condition White	Ranger Black : 80z used where	<ul> <li>54"Wide</li> <li>100% Cotton</li> <li>F.R. Treated</li> </ul>

LUXOUT Stage Curtains

Specially drapery